25 February 1981

ľ	MEMORANDUM FOR:	Chief, Policy and	Plans Grou	p	25X1
· •					
- -					
4					
A					
(3)	Buildings, betwee	en the hours of 161 the inspection-were s were found to be	<u>n and 1800</u> highly far	at the Ames and Key on 18 February 1981. vorable, in that 100 lassified information	
X1	ble for erectin ceiling expects The next major the wiring and	the good weather not go the building frame to have fully companies of construct	mes for the pleted the ion will be follo	es at a rapid pace. bcontractor responsiconcrete floors and work by 27 February. the installation of wed by the dry wall primistic that both y 1981. (U)	
	WARNING NOTICEIN SOURCES AND METHOD	TELLIGENCE S INVOLVED			25X1
		CONFIDE	NITIAI		

(2) During this reporting period, Scenite audits were completed at three west coast indestrict contactor facilities (A/100)

25X1	The Chief, Information Systems Security Group (ISSG) and Deputy Director, PTOS met with irector, Office of Development and	
	Engineering to afford a briefing on the ISSG responsibility to conduct KEMPAKER	
	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25X1
-	director provided a comprehensive configuration briefing to ISSG staff members. As a	
_ =	TWE result of these meetings, wikkxke ISSG will soon be conducting surveys of	
25X1	various contractor facilities. (U)	
	in security auditing of large Agency and the conclusion company systems. (U)	1 managang
25X1 25X1	9. On 24 February 1981, two members of ISSG joined representatives of DSB, TSD, and OC/COMSEC at a briefing at NPIC to discuss the communication support needed as a result of renovations and new construction The main topic concerned the need for either a new wide-band coaxial data communications bus or maintain the existing data grid system. (U)	
U		
	for CY-80 covering the occupational injuries and illnesses of Agency employees, fires, and accidents involving motor vehicles, property, and equipment. These reports were submitted in compliance with reporting requirements of the Occupational Safety and Health Act. The total number of injuries/illnesses (which does not include first aid cases) submitted was 284 (132) lost workday and 152 nonfatal). For comparison, there were 304 injuries/illnesses (140 lost workday and 157 nonfatal) during CY-79. (U)	
	Art sent thru PDA per Sifely.	25X1

Approved For Release 2005/12/14 : CIA-RDP84-00534R000100050021-8

CONFIDENTIAL